

Material Safety Data Sheet

Updated July 2013

SKM Industries, Inc.

Health 1 Reactivity 0

Flammability 2 Personal Protection B

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Identity: Nuclear High Purity Marker - White Item No: 78004 Color: WHITE	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
Another Exclusive Product of:	Emergency Telephone Number
SKM Industries, Inc.	800-424-9300 (Chemtrec)
Address (Number, Street, City, State, and ZIP Code) 1012 Underwood Road, PO Box 278	Telephone Number for Information 570-383-3062
Olyphant, PA 18447	Date Prepared
USA	July 30, 2013

Conforms to ASTM D4236: These markers and the inks contained within have been examined by a certified toxicologist to assure they comply with Federal Hazardous Substance Act (FHSA) and the Labeling of Hazardous Art Materials Act (LHAMA), in accordance with ASTM D-4236.

SECTION 2. COMPOSITION INFORMATION ON INGREDIENTS

			Other Limits			
Ingredient	CAS No.	OSHA PEL	ACGIH-TLV	Recommended	%	
Aromatic Hydrocarbon	64742-95-6	TWA 100 ppm	TWA 100 ppm	No Data	26-36	
Titanium Dioxide	13463-67-7	TWA 10mg/m3	TWA 10mg/m3	Nuisance dust	32-42	
Rosin Based Resin	68152-57-8	TWA 15mg/m3	TWA 10mg/m3	Nuisance dust	15-25	
Xylene	1330-20-7	TWA 100 ppm	TWA 100 ppm	No Data	1-5	
1,2,4, Trimethyl-						
Benzene	95-63-6	TWA 100 ppm	TWA 100 ppm	No Data	1-5	
Nuisance dust as free dust only, not as bound in paint or ink.						

SECTION 3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW – White, opaque thin viscosity liquid with aromatic odor. Warning! Combustible liquid and vapor. Keep away from heat, sparks and flames. May cause eye, skin, and respiratory tract irritation. If swallowed, do not induce vomiting. Get immediate medical attention. The hi-purity marking pen contains 10 – 13.5 ml of liquid. The liquid contents are only released in a controlled manner when the tip of the pen is pressed. No free liquid is present under normal conditions of use. This product presents only a minimal fire and exposure hazard.

HEALTH HAZARDS

INGESTION: Ingestion of significant amounts is extremely unlikely due to product form. Ingestion of liquid contents may cause vomiting.

EYES: Contact with the liquid contents may be mildly irritating to eyes. May cause redness and tearing. SKIN: Prolonged and/or repeated contact with the liquid contents may produce mild irritation.

INHALATION: Overexposure is very unlikely due to product form. High concentrations may cause nasal and respiratory conditions. Intentional abuse may be harmful or fatal.

SECTION 4. FIRST AID MEASURES

INGESTION: Ingestion of significant amounts is extremely unlikely due to product form. DO NOT induce vomiting. Call physician.

EYE CONTACT: Flush thoroughly with water. Get medical attention if irritation persists.

SKIN CONTACT: Wash with soap and water. If irritation develops and persists, get medical attention. INHALATION: Inhalation overexposure is very unlikely due to product form. If irritation is experienced, move to fresh air. Get medical attention if irritation or other symptoms develop and persist.

SECTION 5. FIRE FIGHTING MEASURES

FLASH POINT: 108°F (TCC) ASTM D56 Note: Minimum

FLAMMABLE LIMITS: LEL 0.9 UEL 6.0 @ 77°F Note: Approximate

GENERAL HAZARD: Combustible Liquid, can form combustible mixtures at temperatures at or above flashpoint.

EXTINGUISHING MEDIA: Use water spray to cool fire exposed surfaces and to protect personnel. Isolate "fuel" supply from fire. Use foam, dry chemical or water spray to extinguish fire. Avoid spraying water directly into storage containers due to danger of boilover.

SPECIAL FIRE FIGHTING PROCEDURES: Firefighters should always wear positive pressure selfcontained breathing apparatus and full protective clothing.

UNUSUAL FIRE/EXPLOSION HAZARDS: The liquid content of the pen is a combustible liquid; however, the pen contains a small amount of the liquid, and the contents are released only when pressure is applied to the tip.

DECOMPOSITION PRODUCTS UNDER FIRE CONDITIONS: No Unusual.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SPILL RESPONSE: Large spills of this product are unlikely due to product form. If marking pen leaks, wipe up any free liquid, and place the pen and waste in an appropriate container for disposal. In storage where large numbers of pens may be damaged, eliminate all sources of ignition, ventilate area and collect the pens into a container for disposal. Collect any released liquid with an inert absorbent and place in a container for disposal.

SECTION 7. HANDLING AND STORAGE

HANDLING: Keep product away from open flame. Keep away from children. Replace cap on pen when not in use. Avoid contact with eyes. Avoid prolonged contact with skin.

STORAGE: Store away from heat and flame.

SECTION 8. EXPOSURE CONTROL/PERSONAL PROTECTION

EYE PROTECTION: None should be needed for normal use. Avoid eye contact. SKIN PROTECTION: None should be needed for normal use. Avoid repeated or prolonged contact with skin.

Wear impervious gloves if needed to prevent possible skin irritation. RESPIRATORY PROTECTION: None should be needed for normal use.

VENTILATION: No special ventilation is normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: 318°F - 338°F SOLUBILITY IN WATER: 0.02 at 77°F Calculated VAPOR PRESSURE: 2.09 at 68°F Approx. DENSITY: 7.3 lbs/gal at 60°F SPECIFIC GRAVITY: 0.87 @ 60°F VISCOSITY OF LIQUID: 0.9 at 77°F Approx. EVAPORATION RATE: 0.3 FREEZING/MELTING POINT: 7°F

SECTION 10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Nitric acid, sulfuric acid, strong oxidizing agents. Avoid heat and open flames. HAZARDOUS DECOMPOSITION PRODUCTS: None.

SECTION 11. TOXICOLOGICAL INFORMATION

Please refer to Section 3 for available information on potential health effects.

SECTION 12. ECOLOGICAL INFORMATION

No data is currently available.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Discard empty pen in trash. Dispose in accordance with federal, state and local regulations.

SECTION 14. TRANSPORT INFORMATION

DOMESTIC HIGHWAY (Containers < 1 Quart are ORM-D) PROPER SHIPPING NAME: Ink/Paint HAZARD CLASS/SUBSIDIARY HAZARD: 3 UN/NA NO. UN1263 PACKING GROUP: III LABEL REQUIRED: Combustible Liquid DOMESTIC AIR SHIPMENTS (PENS) PROPER SHIPPING NAME: Consumer Commodity HAZARD CLASS/SUBSIDIARY HAZARD: 9 UN/NA NO. I.D. 8000 PACKING GROUP: None LABEL REQUIRED: Class 9

SECTION 15. REGULATORY INFORMATION

U.S. Federal Regulations

TSCA: Ingredients in this product are listed on the TSCA inventory as a UVCB

(Unknown, Variable Composition or Biological) Chemical at CAS Registry

Number 64742-95-6.

Clean Water Act/Oil Pollution Act:

Ingredients in this product are classified as an oil under Section 311 of the

Clean Water Act (40 CFR 110) and the Oil Pollution Act of 1990.

CERCLA: Ingredients in this product as sold are derived from a fraction of crude oil

and are excluded from spill reporting requirements by CERCLA Section 101 (14) (F).

SARA Title III:

Sec. 302/304: None

Sec. 311/312: Delayed Health, Fire

Sec 313: 1,2,4-Trimethylbenzene 95-63-6 32.0%

Xylene 1330-20-7 3.0%

Cumene 98-82-8 1.5%

California Prop 65: This product contains the following chemicals known to the State of

California to cause cancer: Ethylbenzene

Canada This product has been classified in accordance with the hazard criteria of

the Controlled Products Regulations and the MSDS contains all the

information required by the Controlled Products Regulations.

WHMIS Classification: Not Controlled.

NSNR Status (New Substance All ingredients in the product are listed, as required, on Canada's Domestic

Notifications Regulations: Substances List (DSL).

NPRI Substances (National

Pollutant Release Inventory): Xylene, 1,2,4-Trimethylbenzene

Risk Phrases: None

Saftey Phrases: S2: Keep out of reach of children.

SECTION 16. OTHER INFORMATION

HMIS and NFPA Ratings: 1 (Health), 2 (Flammability), 0 (Reactivity), B (Personal Protection) (4=extreme, 3=high, 2=moderate, 1=slight, 0=least) (B=gloves & safety glasses).

This information provided in the Material Safety Data Sheet has been compiled from our experience and data with similar commercially available materials and is believed to be accurate. No guarantee of accuracy is made. It is the user's responsibility to determine the suitability of this information for this information for the adoption of necessary safety precautions and disposal procedures. THE MANUFACTURER AND DISTRIBUTOR SHALL BE IN NO WAY RESPONSIBLE FOR THE IMPROPER USE OF THIS PRODUCT.