# **SKM** Material Safety Data Sheet

	SKM INDUSTRIES, INC, PO Box 278, Olyp	bhant, PA 18447 January 2013			
SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION					
Identity:	Grout Aide Grout & Tile Marker White and colored	Note: Blank spaces are not permitted. If any item is not			
Item:	05061 - 05106	applicable, or no information is available, the space must be			
Colors:	white and colored	marked to indicate that.			
Formula:	SKM121				
Another Exclusive Product of:		Emergency Telephone Number:			
SKM Industries, Inc.		U.S. 800-424-9300 (CHEMTREC) International 703-527-388			
Physical A	ddress:	Telephone Number for Information:			
1012 Und	erwood Road, Olyphant, PA 18447	570-383-3062			
SECTION	2: COMPOSITION/INFORMATION ON INGREDIE	INTS			
Water - 50	0%				
Titanium I	Dioxide - 30%				
Resin - 10	%				
Surfacant	- 10%				
SECTION	3: HAZARDS IDENTIFICATION				
Acute haz	ard: None. KEEP OUT OF REACH OF CHILDREN. Direct co	ontact may cause skin or eye irritation.			
SECTION	4: FIRST AID MEASURES				
Eyes - Imn	nediately flush eyes with plenty of water for at least fifte	een (15) minutes. Get medical attention immediately.			
Inhalation	: Remove to fresh air. If breathing is irregular seek med	dical attention. No adverse effects are anticipated from inhalatior			
Skin Conta	act: Remove contaminated clothing. Wash skin thoroug	shly with soap and water or use a proprietary skin cleaner.			

**Ingestion:** If accidentally swallowed rinse mouth with water and obtain immediate medical attention.

#### SECTION 5: FIRE FIGHTING MEASURES

**Flash Point:** >150°F Method Able Apparatus to British Standard BS 2000

Flammability Limits (% by volume): Non-flammable

Unusual Fire Explosion Hazards: none

#### SECTION 6: ACCIDENTAL RELEASE MEASURE

In case of spill or accidental release, treat as water based paint.

#### SECTION 7: HANDLING AND STORAGE

Handling: No special handling requirements.

Storage: KEEP OUT OF REACH OF CHILDREN.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection	None under normal use conditions.	
Clothing	None under normal use conditions.	
Respirator	None under normal use conditions.	
Ventilatio	None under normal use conditions.	

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point	>100°C	Specific Gravity (H₂O = 1) @ 70°F	Greater than one (1)
Vapor Pressure (mm-Hg @ 70°F)	No Data	Melting Point	No Data
Vapor Density (AIR = 1)	Greater than one (1)	Evaporation Rate (Butyl Acetate=1	Less than one (1)
Solubility in Water	100%	РН	No Data
Appearance and Odor - White opac	que think viscosity liquid with pain	t odor.	

Chemical	Unstable		Conditions to Avoid: Large volume ingestion.	
Stability	Stable	Х		
Incompatibility (Mate	rials to Avoid): None.			
Hazardous Decomposi	tion or By-products: Nor	ne.		
Hazardous	May Occur		Conditions to Avoid: No Data	
Polymerization	Will not Occur	Х		
SECTION 11: TOXIC	<b>OLOGICAL INFORMAT</b>	ION		
None.				
SECTION 12: ECOLO	GICAL INFORMATION			
Not Available.				
SECTION 13: DISPO	SAL INFORMATION			
Dispose of in accordan	ce with all applicable loca	al, state and	federal regulations.	
SECTION 14: TRANS	<b>SPORT INFORMATION</b>	(Not mea	nt to be all inclusive.)	
Non-flammable liquid	paint.			
<b>SECTION 15: REGUL</b>	ATORY INFORMATIO	N (Not me	ant to be all inclusive - selected regulations represented)	
TSCA INVENTORY: The	e product on this Materi	al Safety Da	ata Sheet is not listed on the Toxic Substances Control Act Inventory. All	
ingredients used to m	anufacture this product	are listed of	on the TSCA Inventory.	
SECTION 16: OTHER	R INFORMATION			
SKM has been advised	d by attorney that the O	SHA Hazaro	Communication Standard does not apply to the SKM products listed in	
this MSDS. The explan	nation for the exemptior	n is contain	ed in 29 CFR 1910.1200(b)(6)(ix) as amended July 1, 2002 per the code	
•	•		s MSDS is forwarded to you for your information, but is not meant to	
-				

imply that the Hazard Communication Standard covers the product nor is this MSDS meant to comply with all requirements of the Hazard Communication Standard.

These markers and inks contained within conform to ASTM D-4236 and have been examined by certified toxicologist in a program of toxicologic evaluation to assure they are in compliance with the Federal Hazardous Substance Act (FHSA), Labeling of Hazardous Art Materials Act (LHAMA), ans ASTM D-4236.